UDDEHOLM IMPAX® SUPREME

A NEW WAY OF THINKING HIGH PERFORMANCE DUCTILITY TOUGHNESS STRENGTH INNOVATION KNOWL MS AUTOMOTIVE A NEW WAY OF THINKING HIGH PERFORMANCE DUCTILITY CUSTOMER BENEFITS TOUGHNESS SE UNDERSTANDING CUSTOMER BENEFITS MACHINABILITY TRUST IS SOMETHING YOU EARN, EVERY DAY LONG LASTING TO DAY NETWORK OF EXELLENCE LONG LASTING TOOLS TOTAL ECONOMY THE WORLD'S LEADING SUPPLIER OF TOOLING MAT A NEW WAY OF THINKING HIGH PERFORMANCE DUCTILITY TOUGHNESS STRENGTH INNOVATION KNOWLEDGE UNDERST DING SUPPLIER OF TOOLING MATERIALS PARTNERSHIP HARDNESS WORLDWIDE NETWORK OF EXELLENCE PRESENCE LONG RSTANDING MACHINABILITY TRUST IS SOMETHING YOU EARN, EVERY DAY LONG LASTING TOOLS TOTAL ECONOMY THE WOR K OF EXELLENCE LONG LASTING TOOLS TOTAL ECONOMY THE WORLD'S LEADING SUPPLIER OF TOOLING MATERIAL ESS_STRENGTH INNOVATION_KNOWLEDGE_UNDERSTANDING_MACHINABILITY TRUST IS SOMETHING YOU EARN, EVERY WIDE PRESENCE LONG DURABILITY RELIABILITY RESULTS SOLVING PROBLEMS AUTOMOTIVE A NEW WAY OF THINKING HI ENGTH INNOVATION GLOBAL COMMITMENT KNOWLEDGE UNDERSTANDING MACHINABILITY TRUST IS SOMETHING HINABILITY TRUST IS SOMETHING YOU EARN, EVERY DAY LONG LASTING TOOLS TOTAL ECONOMY CUSTOMER



This information is based on our present state of knowledge and is intended to provide general notes on our products and their uses. It should not therefore be construed as a warranty of specific properties of the products described or a warranty for fitness for a particular purpose.

Classified according to EU Directive 1999/45/EC For further information see our "Material Safety Data Sheets".

Edition 5, 12.2006



General

Uddeholm Impax Supreme is a premiumquality vacuum-degassed Cr-Ni-Mo-alloyed steel which is supplied in the hardened and tempered condition, offering the following benefits:

- No hardening risks
- No hardening costs
- Time saving, e.g. no waiting for heat treatment
- Lower tool cost (e.g. no distortion to rectify)
- · Modifications easily carried out
- Can be subsequently nitrided to increase surface wear resistance or locally flame hardened to reduce surface damage

Uddeholm Impax Supreme is manufactured to consistently high quality standards with a very low sulphur content, giving a steel with the following charac-teristics:

- Good polishing and photo-etching properties
- Good machinability
- High purity and good homogeneity
- Uniform hardness

Note: Uddeholm Impax Supreme is 100% ultrasonic tested.

Heavier sections are supplied premachined which offers the following advantages compared with un-machined material:

- Saving of weight
- Non-decarburized surface
- Exact nominal size (plus tolerance)
- Less machining
- Absence of scale minimizes machine and tool wear

Approx. analysis %	C 0,37	Si 0,3	Mn 1,4	Cr 2,0	Ni 1,0	Mo 0,2	S <0,010
Standard spec.	AISI P20 modified						
Delivery condition	Hardened and tempered to 290–330 HB						
Colour code	Yellov	v/gree	n				

Applications

- Injection moulds for thermoplastics
- Extrusion dies for thermoplastics
- Blow moulds
- Forming tools, press-brake dies (possibly flame hardened or nitrided)
- Aluminium die casting prototype dies
- Structural components, shafts

Properties

Physical data

Hardened and tempered to 310 HB.


Temperature	20°C (68°F)	200°C (390°F)
Density, kg/m³ Ibs/in³	7 800 0,282	7 750 0,280
Coefficient of thermal expansion per °C from 20° per °F from 68°F		12,7 x 10 ⁻⁶ 7,0 x 10 ⁻⁶
Thermal conductivity W/m °C Btu in/ft²h °F	29 202	30 205
Modulus of elasticity N/mm ² tsi psi	205 000 13 280 29,7 × 10 ⁶	200 000 12 960 29,0 × 10 ⁶
Specific heat capacity J/kg °C Btu/lb°F	460 0,110	

Mechanical properties

Impact strength, tensile strength and the compressive strength depends on the hardness in the delivered condition.

IMPACT STRENGTH

The energy absorption at impact testing depends on the test material (bar size and delivered hardness), testing temperature and the specimen (type, location, and orientation in the bar). The graph below shows how the impact energy changes as a function of the test temperature and hardness variation within the delivery hardness range.




TENSILE STRENGTH

Approx. values. Samples were taken from a flat bar, $90 \times 300 \text{ mm} (3,5" \times 11,8")$. Hardness: 325 HB.

Testing temperature	20°C (68°F)	200°C (390°F)
Ultimate tensile strength R _m N/mm ²	1020	930
Yield strength R _p 0,2 N/mm ²	900	800

COMPRESSIVE STRENGTH

Compressive	
yield strength R _{c0,2} N/mm ²	850–1000



Heat treatment

Uddeholm Impax Supreme is intended for use in the hardened and tempered condition, i.e. the delivery condition.

When, however, the steel is to be heat treated to a higher hardness or case hardened, the following instructions may be helpful.

Soft annealing

Protect the steel and heat through to 700° C (1300°F). Then cool in the furnace at 10°C (50°F) per hour to 600°C (1110°F), then freely in air.

Stress relieving

After rough machining the tool should be heated through to 550° C (1020° F), holding time 2 hours. Cool slowly to room temperature.

Hardening

Note: The steel should be fully soft annealed before hardening. Preheating temperature: 500–600°C (930– 1110°F). Austenitizing temperature: 850°C (1560°F). The steel should be heated through to the

austenitizing temperature and held at temperature for 30 minutes.

Protect the tool against decarburization and oxidation during the hardening process.

Quenching media

- High speed gas/circulating atmosphere (Only suitable for small dimensions)
- Oil (60-80°C/140-175°F)
- Martempering bath 300°C (570°F) max. 4 minutes, then air


Note: Temper immediately tool reaches 50–70°C (120–160°F).

Tempering

Choose the tempering temperature according to the hardness required by reference to the tempering graph. Temper twice with intermediate cooling to room temperature. Lowest tempering temperature 180°C (360°F) for small inserts, but preferred minimum is 250°C (480°F). Holding time at temperature minimum 2 hours.

TEMPERING GRAPH

The diagram is valid for small samples $15 \times 15 \times 40$ mm (0,6 x 0,6 x 1,6 in.) austenitized 30 min. at 850° C (1560°F), quenched in air and tempered 2 + 2 hours.



Flame and induction hardening

Uddeholm Impax Supreme can be flame or induction hardened to a hardness of approx. 50 HRC. Cooling in air is preferable.

Further information can be obtained from the Uddeholm Technical Services Report "Flame hardening of Uddeholm Impax Supreme".

Nitriding and nitrocarburizing

Nitriding gives a hard surface which is very resistant to wear and erosion. A nitrided surface also increases the corrosion resistance. For best result the following steps should be followed:

- 1. Rough machining
- 2. Stress tempering at 550°C (1020°F)
- 3. Grinding
- 4. Nitriding

Following surface hardness and nitriding depths will be achieved after nitriding:

	Tempe	rature °F	Time	Surface hardness HV1	Depth mm	of case inch
	<u> </u>	•		1171		inch
Gas	525	977	20	650	0,30	0,012
nitriding	525	977	30	650	0,35	0,013
lon-	480	896	24	700	0,30	0,012
nitriding	480	896	48	700	0,40	0,016
Nitrocar-						
burizing	570	1058	2	700	0,10	0,004

Cutting data recommendations

The cutting data below are to be considered as guiding values which must be adapted to existing local conditions.

More information can be found in our technical information "Cutting data recommendations".

Turning

	Turning v	Turning with high speed steel	
Cutting data parameters	Rough turning	Fine turning	Fine turning
Cutting speed (v _c) m/min. f.p.m.	120–170 394–558	170–220 558–722	15–20 49–66
Feed (f) mm/r i.p.r.	0,2–0,4 0,008–0,016	0,05–0,2 0,002–0,008	0,05–0,3 0,002–0,012
Depth of cut (a _p) mm inch	2–4 0,08–0,16	0,5–2 0,02–0,08	0,5–3 0,02–0,12
Carbide desig- nation, ISO	P20–P30 Coated carbide	P10 Coated carbide or Cermet	_

Drilling

HIGH SPEED STEEL TWIST DRILL

Drill diameter		Cutting speed (v_c)		Feed (f)	
mm	inch	m/min	f.p.m.	mm/r	i.p.r.
-5	-3/16	14–16*	46–52	0,08–0,15	0,003–0,006
5–10	3/16–3/8	14–16*	46–52	0,15–0,25	0,006–0,010
10–15	3/8–5/8	14–16*	46–52	0,25–0,30	0,010-0,012
15–20	5/8—3/4	14–16*	46–52	0,30–0,35	0,012–0,014

* For coated HSS drill $v_c = 24-26$ m/min. (79-85 f.p.m.)

CARBIDE DRILL

	Type of drill				
Cutting data parameters	Indexable insert	Solid carbide	Brazed carbide ¹⁾		
Cutting speed (v _c) m/min. f.p.m.	180–200 600–656	120–150 394–492	60–80 197–262		
Feed (f) mm/r i.p.r.	0,05–0,25 ²⁾ 0,002–0,01 ²⁾	0,10–0,25 ²⁾ 0,004–0,01 ²⁾	0,15–0,25 ²⁾ 0,006–0,01 ²⁾		

Drill with internal cooling channels and brazed carbide tip
 Depending on drill diameter

Milling

FACE AND SQUARE SHOULDER MILLING

Cutting data parameters	Milling with carbide Rough milling Fine milling		
Cutting speed, (v _c) m/min. f.p.m.	80–150 265–492	150–190 492–623	
Feed, (f _z) mm/tooth inch/tooth	0,2–0,4 0,008–0,016	0,1–0,2 0,004–0,008	
Depth of cut, (a _p) mm inch	2–4 0,08–0,16	-2 -0,08	
Carbide designation ISO	P20–P40 Coated carbide	P10–P20 Coated carbide or Cermet	

END MILLING

	Milling cutter				
Cutting data parameters	Solid carbide	Carbide indexable insert	High speed steel		
Cutting speed (v _c) m/min. f.p.m.	70–110 230–361	80–120 262–394	15–20 ¹⁾ 49–66 ¹⁾		
Feed (f _z) mm/tooth inch/tooth	0,03–0,20 ²⁾ 0,001–0,008 ²⁾	0,08–0,20 ²⁾ 0,003–0,008 ²⁾	0,05–0,35 ²⁾ 0,002–0,014 ²⁾		
Carbide desig- nation ISO	_	P20-P40	_		

 $^{\rm 1)}$ For coated HSS end mill v_c = 35–40 m/min. (115–131 f.p.m.) $^{\rm 2)}$ Depending on radial depth of cut and cutter diameter

Grinding

A general grinding wheel recommendation is given below. More information can be found in the Uddeholm brochure "Grinding of Tool Steel".

Type of grinding	Wheel recommendation
Face grinding straight wheel	A 46 HV
Face grinding segments	A 24 GV
Cylindrical grinding	A 60 KV
Internal grinding	A 46 JV
Profile grinding	A 100 KV

Welding

Good results when welding tool steel can be achieved if proper precautions are taken during welding (elevated working temperature, joint prep-aration, choice of consumables and welding procedure). If the tool is to be polished or photo-etched, it is necessary to work with an electrode type of matching composition.

Welding method	TIG	MMA (SMAW)
Working temperature	200–250°C (390–480°F)	200–250°C (390–480°F)
Consumables	IMPAX TIG-WELD	IMPAX WELD
Hardness after welding	320–350 HB	320–350 HB

Further information is given in the Uddeholm brochure "Welding of Tool Steel".

Electrical-discharge machining

If spark-erosion, EDM, is performed in the as delivered condition, the tool should then be given an additional temper at approx. $550^{\circ}C$ ($1020^{\circ}F$). If the steel has been rehardened, the additional tempering temperature should be $25^{\circ}C$ ($50^{\circ}F$) lower than the last tempering temperature used.

Further information can be obtained from the Uddeholm brochure "EDM of tool steel".

Hard-chromium-plating

After hard-chromium-plating, the tool should be tempered for approx. 4 hours at 180°C (350°F) within 4 hours of plating in order to avoid hydrogen embrittlement.

Photo-etching

Uddeholm Impax Supreme is particularly suitable for texturing by the photo-etching process. Its very low sulphur content ensures accurate and consistent pattern reproduction.


For heavy sections an extra tempering at 550°C (1020°F) before photo-etching is recommended.

Polishing

Uddeholm Impax Supreme has good polishability in the hardened and tempered condition. After grinding, polishing is undertaken with aluminium oxide or diamond paste.

Note: Each steel grade has an optimum polishing time which largely depends on hardness and polishing technique. Overpolishing can lead to a poor surface finish (e.g. an "orange peel" effect).

Further information is given in the Uddeholm publication "Polishing of mould steel".



Large mould to produce laundry-baskets. Suitable grade for this moulding tool is Uddeholm Impax Supreme.

Further information

Contact your local Uddeholm office for further information on the selection, heat treatment, application and availability of Uddeholm tool steels, including the publication "Steels for moulds".

Europe

Austria Representative office UDDEHOLM Albstraße 10 DE-73765 Neuhausen Telephone: +49 7158 9865-0 www.uddeholm.de

Belgium UDDEHOLM Europark Oost 7 B-9100 Sint-Niklaas Telephone: +32 3 780 56 20 www.uddeholm.be

Croatia BÖHLER UDDEHOLM Zagreb d.o.o za trgovinu Zitnjak b.b 10000 Zagreb Telephone: +385 1 2459 301 Telefax: +385 1 2406 790 www.bohler-uddeholm.hr

Czech Republic BÖHLER UDDEHOLM CZ s.r.o. Division Uddeholm U Silnice 949 161 00 Praha 6, Ruzyne Telephone: +420 233 029 850,8 www.uddeholm.cz

Denmark UDDEHOLM A/S Kokmose 8, Bramdrupdam DK-6000 Kolding Telephone: +45 75 51 70 66 www.uddeholm.dk

Estonia

UDDEHOLM TOOLING AB Silikatsiidi 7 EE-11216 Tallinn Telephone: +372 655 9180 www.uddeholm.ee

Finland

OY UDDEHOLM AB Ritakuja 1, PL 57 FI-01741 VANTAA Telephone: +358 9 290 490 www.uddeholm.fi

France

Head office UDDEHOLM Z.I. de Mitry-Compans, 12 rue Mercier, FR-77297 Mitry Mory Cedex Telephone: +33 (0)1 60 93 80 10 www.uddeholm.fr

Branch offices UDDEHOLM S.A. 77bis, rue de Vesoul La Nef aux Métiers FR-25000 Besançon Telephone: +33 (0)381 53 12 19

LE POINT ACIERS UDDEHOLM - Aciers à outils Z.I. du Recou, Avenue de Champlevert FR-69520 GRIGNY Telephone: +33 (0)4 72 49 95 61

LE POINT ACIERS UDDEHOLM - Aciers à outils Z.I. Nord 27, rue François Rochaix FR-01100 OYONNAX Telephone: +33 (0)4 74 73 48 66 Germany Head office UDDEHOLM Hansaallee 321 DE-40549 Düsseldorf Telephone: +49 211 5351-0 www.uddeholm.de

Branch offices UDDEHOLM Falkenstraße 21 DE-65812 Bad Soden/TS Telephone: +49 6196 6596-0

UDDEHOLM Albstraße 10 DE-73765 Neuhausen Telephone: +49 7158 9865-0

UDDEHOLM Friederikenstraße 14b DE-06493 Harzgerode Telephone: +49 39484 727 267

Great Britain UDDEHOLM DIVISION BOHLER-UDDEHOLM (UK) LIMITED European Business Park Taylors Lane, Oldbury GB-West Midlands B69 2BN Telephone: +44 121 552 5511 Telefax: +44 121 544 2911 www.uddeholm.co.uk

Greece

STASSINOPOULOS-UDDEHOLM STEEL TRADING S.A. 20, Athinon Screet GR-Piraeus 18540 Telephone: +30 210 4172 109 www.uddeholm.gr

SKLERO S.A. Heat Treatment and Trading of Steel Uddeholm Tool Steels Industrial Area of Thessaloniki P.O. Box 1123 GR-57022 Sindos, Thessaloniki Telephone: +30 2310 79 76 46 www.sklero.gr

Hungary

UDDEHOLM TOOLING/BOK Dunaharaszti, Jedlik Ányos út 25 HU-2331 Dunaharaszti 1. Pf. 110 Telephone/fax:+36 24 492 690 www.uddeholm.hu

Ireland

Head office: UDDEHOLM DIVISION BOHLER-UDDEHOLM (UK) LIMITED European Business Park Taylors Lane, Oldbury UK-West Midlands B69 2BN Telephone: +44 121 552 5511 Telefax: +44 121 544 2911 www.uddeholm.co.uk Dublin: Telephone: +353 1845 1401

Italy

UDDEHOLM Divisione della Bohler Uddeholm Italia S.p.A. Via Palizzi, 90 IT-20157 Milano Telephone: +39 02 39 49 211 www.uddeholm.it

Latvia UDDEHOLM TOOLING LATVIA SIA Piedrujas Street 7 LV-1035 Riga Telephone: +371 7 702133 Telefax: +371 7 185079 Lithuania UDDEHOLM TOOLING AB BE PLIENAS IR METALAI T. Masiulio 18B LT-52459 Kaunas Telephone: +370 37 370613, -669 www.besteel.lt

The Netherlands UDDEHOLM Isolatorweg 30 NL-1014 AS Amsterdam Telephone: +31 20 581 71 11 www.uddeholm.nl

Norway UDDEHOLM A/S Jernkroken 18 Postboks 85, Kalbakken NO-0902 Oslo Telephone: +47 22 91 80 00 www.uddeholm.no

Poland

INTER STAL CENTRUM Sp. z.o.o./Co. Ltd. ul. Kolejowa 291, Dziekanów Polski, PL-05-092 Lomianki Telephone: +48 22 429 2260, -203, -204 www.uddeholm.pl

Portugal

F RAMADA Aços e Industrias S.A. P.O. Box 10 PT-3881 Ovar Codex Telephone: +351 256 580580 www.ramada.pt

Romania

BÖHLER-UDDEHOLM Romania SRL Atomistilor Str. No 96-102 077125 - com. Magurele, Jud. Ilfov. Telephone: +40 214 575007 Telefax: +40 214 574212

Russia

UDDEHOLM TOOLING CIS 9A, Lipovaya Alleya, Office 509 RU-197183 Saint Petersburg Telephone: +7 812 6006194 www.uddeholm.ru

Slovakia

Bohler-Uddeholm Slovakia s.r.o. divizia UDDEHOLM Čsl.Armády 5622/5 SK-036 01 Martin Telephone: +421 (0)434 212 030 www.uddeholm.sk

Slovenia

Representative office UDDEHOLM Divisione della Bohler Uddeholm Italia S.p.A. Via Palizzi, 90 IT-20157 Milano Telephone: +39 02 39 49 211 www.uddeholm.it

Spain

Head office UDDEHOLM Guifré 690-692 ES-08918 Badalona, Barcelona Telephone: +34 93 460 1227 www.acerosuddeholm.com Branch office UDDEHOLM Barrio San Martín de Arteaga,132 Pol.Ind. Torrelarragoiti ES-48170 Zamudio (Bizkaia) Telephone: +34 94 452 13 03

Sweden

Head office UDDEHOLM TOOLING SVENSKA AB Aminogatan 25 SE-431 53 Mölndal Telephone: +46 31 67 98 50 www.uddeholm.se

Branch offices UDDEHOLM TOOLING SVENSKA AB Box 45 SE-334 21 Anderstorp Telephone: +46 371 160 15

UDDEHOLM TOOLING SVENSKA AB Box 148 SE-631 03 Eskilstuna Telephone: +46 16 15 79 00

UDDEHOLM TOOLING SVENSKA AB Aminogatan 25 SE-431 53 Möindal Telephone: +46 31 67 98 70

UDDEHOLM TOOLING SVENSKA AB Nya Tanneforsvägen 96 SE-582 42 Linköping Telephone: +46 13 15 19 90

UDDEHOLM TOOLING SVENSKA AB Derbyvägen 22 SE-212 35 Malmö Telephone: +46 40 22 32 05

UDDEHOLM TOOLING SVENSKA AB Honnörsgatan 16A SE-352 36 Växjö Telephone: +46 470 457 90

Switzerland

HERTSCH & CIE AG General Wille Strasse 19 CH-8027 Zürich Telephone: +41 44 208 16 66 www.hertsch.ch

Turkey

Head office ASSAB Korkmaz Celik A.S. Organize Sanayi Bölgesi 2. Cadde No: 26 Y. Dudullu Umraniye-Istanbul Turkey Telephone: +90 216 420 1926-121/124 www.assabkorkmaz.com

Ukraina

DC CETAB UKRAINE Box 2431 49040 Dniepropetrovsk Telephone:+380 562 32 68 65 www.cetab.com

America

Argentina ACEROS BOEHLER UDDEHOLM S.A Mozart 40 1619-Centro Industrial Garin Garin-Prov. AR-Buenos Aires Telephone: +54 332 7444 440 www.uddeholm.com.ar

Brazil AÇOS BOHLER-UDDEHOLM DO BRASIL LTDA- DIV. UDDEHOLM Estrada Yae Massumoto, 353 CEP 09842-160 BR-Sao Bernardo do Campo - SP Brazil Telephone: +55 11 4393 4560, 4554 www.uddeholm.com.br

Canada Head Office & Warehouse UDDEHOLM 2595 Meadowvale Blvd.

Mississauga, ON LSN 7Y3 Telephone: +1 905 812 9440 www.bucanada.com Branch Warehouses

UDDEHOLM 3521 Rue Ashby St. Laurent, QC H4R 2K3 Telephone: +1 514 333 8000

UDDEHOLM 730 Eaton Way - Unit #10 New Westminister, BC V3M 6J9 Telephone: +1 604 525 3354

Heat Treating THERMO-TECH 2645 Meadowvale Blvd. Mississauga, ON L5N 7Y4 Telephone: +1 905 812 9440

Colombia AXXECOL S.A. Carrera 35 No 13-20 Apartado Aereo 80718 CO-Bogota 6 Telephone: +57 1 2010700 www.axxecol.com

ASTECO S.A. Carrera 54 No 35-12 Apartado Aereo 663 CO-Medellin Telephone: +57 4 2320122 www.asteco.com

Dominican Republic RAMCA, C. POR A. Luis Puigbó Alegre, EPS P-2289 P O Box 02-5261 DO-Santo Domingo Telephone: +1 809 682 4011 domrep@assab.com

Ecuador IVAN BOHMAN C.A. Cagilla Postal 17-01370 Quito Telephone: +593 2 2248001

IVAN BOHMAN C.A. Apartado 1317 Km 6 1/2 Via a Daule Guayaquil Telephone: +593 42 254111

El Salvador ACAVISA DE C.V. 25a. Avenida Sur 463 zona 1 Apartado Postal 439

SV-San Salvador Telephone: +503 22 711700 www.acavisa.com

Guatemala IMPORTADORA ESCANDINAVA Apartado postal 2042 GT-Guatemala City Telephone: +502 23 659270 guatemala@assab.com

Mexico

Head office ACEROS BOHLER UDDEHOLM S.A. de C.V. Calle Ocho No 2, Letra "C" Fraccionamiento Industrial Alce Blanco C.P. 52787 Naucalpan de Juarez MX-Estado de Mexico Telephone: +52 55 9172 0242 www.bu-mexico.com

Branch office BOHLER-UDDEHOLM MONTERREY, NUEVO LEON Lerdo de Tejada No.542 Colonia Las Villas MX-66420 San Nicolas de Los Garza, N.L Telephone: +52 81 83 525239

Peru C.I.P.E.S.A Av. Oscar R. Benavides (ante Colonial) No. 2066 PE-Lima 1 Telephone: +51 1 336 8673 peru@assab.com

U.S.A. Head Office UDDEHOLM 4902 Tollview Drive Rolling Meadows IL 60008 Telephone: 1-847-577-2220 Sales phone: 1-800-638-2520 www.bucorp.com

Region East Warehouse UDDEHOLM 220 Cherry Street Shrewsbury MA 01545

Region Central Warehouse UDDEHOLM 548 Clayton Ct. Wood Dale IL 60191

Region West Warehouse UDDEHOLM 9331 Santa Fe Springs Road Santa Fe Springs, CA 90670

Venezuela

PRODUCTOS HUMAR C.A. Multicentro Empresarial del Este, Edf Libertador, Núcleo A. Piso 9, Of. A-93, Chacao VE-Caracas 1060 Telephone: +58 212 2655040 humar@assab.com

Other Countries in America ASSAB INTERNATIONAL AB Box 42 SE-171 11 Solna, Sweden Telephone: +46 8 564 616 70 www.assab.se

Asia & Pacific

Australia BOHLER UDDEHOLM Australia 129-135 McCredie Road Guildford NSW 2161 Private Bag 14 AU-Sydney Telephone: +61 2 9681 3100 www.buau.com.au

Bangladesh ASSAB INTERNATIONAL AB P.O. Box 17595 Jebel Ali AE-Dubai Telephone: +971 488 12165 www.assab.se

North China Head office ASSAB Tooling (Beijing) Co Ltd No.10A Rong Jing Dong Jie Beijing Economic Development Area Beijing 100176, China Telephone: +86 10 6786 5588 www.assabsteels.com

Branch offices ASSAB Tooling (Beijing) Ltd Dalian Branch 8 Huanghai Street, Haerbin Road Economic & Technical Develop. District Dalian 116600, China Telephone: +86 411 8761 8080

ASSAB Qingdao Office Room 2521, Kexin Mansion No. 228 Liaoning Road, Shibei District Qingdao 266012, China Telephone: +86 532 8382 0930

ASSAB Tianjin Office No.12 Puwangli Wanda Xincheng Xinyibai Road, Beichen District Tianjin 300402, China Telephone: +86 22 2672 0006

Central China Head office ASSAB Tooling Technology (Shanghai) Co Ltd No. 4088 Humin Road Xinzhuang Industrial Zone Shanghai 201108, China Telephone: +86 21 5442 2345 www.assabsteels.com

Branch offices ASSAB Tooling Technology (Ningbo) Co Ltd No. 218 Longjiaoshan Road Vehicle Part Industrial Park Ningbo Economic & Technical Dev. Zone Ningbo 315806, China Telephone: +86 574 8680 7188

ASSAB Tooling Technology (Chongqing) Co Ltd Plant C, Automotive Industrial IPark Chongqing Economic & Technological Development Zone Chongqing 401120, China Telephone: +86 23 6745 5698

South China

Head office ASSAB Steels (HK) Ltd Room 1701–1706 Tower 2 Grand Central Plaza 138 Shatin Rural Committee Road Shatin NT - Hong Kong Telephone: +852 2487 1991 www.assabsteels.com Branch offices ASSAB Tooling (Dongguan) Co Ltd Northern District Song Shan Lake Science & Technology Industrial Park Dongguan 523808, China Telephone: +86 769 2289 7888 www.assabsteels.com

ASSAB Tooling (Xiamen) Co Ltd First Floor Universal Workshop No. 30 Huli Zone Xiamen 361006, China Telephone: +86 592 562 4678

Hong Kong ASSAB Steels (HK) Ltd Room 1701-1706 Grand Central Plaza, Tower 2 138 Shatin Rural Committee Road Shatin NL Hang Kong

Shatin NT, Hong Kong Telephone: +852 2487 1991 www.assabsteels.com

India

ASSAB Sripad Steels LTD T 303 D.A.V. Complex Mayur Vihar Ph I Extension IN-Delhi-110 091 Telephone: +91 11 2271 2736 www.assabsripadsteels.com

ASSAB Sripad Steels LTD 709, Swastik Chambers Sion-Trombay Road Chembur IN-Mumbai-400 071 Telephone: +91 22 2522-7110, -8133

ASSAB Sripad Steels LTD Padmalaya Towers Janaki Avenue M.R.C. Nagar IN-Chennai-600 028 Telephone: +91 44 2495 2371

Indonesia Head office PT ASSAB Steels Indonesia JI. Rawagelam III No. 5 Kawasan Industri Pulogadung Jakarta 13930, Indonesia Telephone: +62 21 461 1314 www.assabsteels.com

Branch offices SURABAYA BRANCH JI. Berbek Industri 1/23 Surabaya Industrial Estate, Rungkut Surabaya 60293, East Java, Indonesia Telephone: +62 31 843 2277

MEDAN BRANCH Komplek Griya Riatur Indah Blok A No.138 JI. T. Amir Hamzah Halvetia Timur, Medan 20124 Telephone: +62 61 847 7935/6

BANDUNG BRANCH Komp. Ruko Bumi Kencana JI. Titian Kencana Blok E No.5 Bandung 40233 Telephone: +62 22 604 1364

TANGERANG BRANCH Pusat Niaga Cibodas Blok C No. 7 Tangerang Telephone: +62 21 921 9596, 551 2732

SEMARANG BRANCH JI. Imam Bonjol No.155 R.208 Semarang 50124 Telephone: +62 358 8167 Iran ASSAB INTERNATIONAL AB P.O. Box 19395 IR-1517 TEHRAN Telephone: +98 21 888 35392 www.assabiran.com

Israel

PACKER YADPAZ QUALITY STEELS Ltd P.O. Box 686 Ha-Yarkon St. 7, Industrial Zone IL-81106 YAVNE Telephone: +972 8 932 8182 www.packer.co.il

Japan

UDDEHOLM KK Atago East Building 3-16-11 Nishi Shinbashi Minato-ku, Tokyo 105-0003, Japan Telephone: + 81 3 5473 4641 www.assabsteels.com

Jordan

ENGINEERING WAY Est. P.O. Box 874 Abu Alanda JO-AMMAN 11592 Telephone: +962 6 4161962 engineeringway@assab.com

Malaysia

Head office ASSAB Steels (Malaysia) Sdn Bhd Lot 19, Jalan Perusahaan 2 Batu Caves Industrial Estate 68100 Batu Caves Selangor Malaysia Telephone: +60 3 6189 0022 www.assabsteels.com

Branch offices

BUTTERWORTH BRANCH Plot 146a Jalan Perindustrial Bukit Minyak 7 Kawasan Perindustrial Bukit Minyak 14000 Bukit Mertajam, SPT Penang Telephone: +60 4 507 2020

JOHOR BRANCH No. 8, Jalan Persiaran Teknologi Taman Teknologi 81400 Senai Johor DT, Malaysia Telephone: +60 7 598 0011

New Zealand

VIKING STEELS 25 Beach Road, Otahuhu P.O. Box 13-359, Onehunga NZ-Auckland Telephone: +64 9 270 1199 www.ssm.co.nz

Pakistan

ASSAB International AB P.O. Box 17595 Jebel Ali AE-Dubai Telephone: +971 488 12165 www.assab.se

Philippines

ASSOCIATED SWEDISH STEELS PHILS Inc. No. 3 E. Rodriguez Jr., Avenue Bagong Ilog, Pasig City Philippines Telephone: +632 671 1953/2048 www.assabsteels.com

Republic of Korea Head office ASSAB Steels (Korea) Co Ltd 116B-8L, 687-8, Kojan-dong Namdong-ku Incheon 405-310, Korea Telephone: +82 32 821 4300 www.assabsteels.com

Branch offices BUSAN BRANCH 14B-5L, 1483-9, Songjeong-dong Kangseo-ku, Busan 618-270, Korea Telephone: +82 51 831 3315

DAEGU BRANCH Room 27, 7-Dong2 F Industry Materials Bldg.1629 Sangyeog-Dong, Buk-Ku Korea-Daegu 702-710 Telephone: +82 53 604 5133

Lebanon WARDE STEEL & METALS SARL MET Charles Helou Av, Warde Bldg P.O. Box 165886 LB-Beirut Telephone: +961 1 447228 lebanon@assab.com

Saudi Arabia ASSAB INTERNATIONAL AB P.O. Box 255092 SA-Riyadh 11353 Telephone: +966 1 4466542 saudiarabia@assab.com

Singapore Head office Pacific ASSAB Pacific Pte Ltd 171, Chin Swee Road No. 07-02, SAN Centre SG-Singapore 169877 Telephone: +65 6534 5600 www.assabsteels.com Jurong

ASSAB Steels Singapore (Pte) Ltd 18, Penjuru Close SG-608616 Singapore Telephone: +65 6862 2200

Sri Lanka GERMANIA COLOMBO (Ptd) Ltd 451/A Kandy Road LK-Kelaniya Telephone: +94 11 2913556 www.iwsholdings.com

Syria WARDE STEEL & METALS SARL MET Charles Helou Av, Warde Bldg P.O. Box 165886

LB-Beirut Telephone: +961 1 447228 lebanon@assab.com

Taiwan Head office ASSAB Steels (Taiwan) Co Ltd No. 112 Wu Kung 1st Rd. Wu Ku Industry Zone TW-Taipei 248-87, Taiwan (R.O.C.) Telephone: +886 2 2299 2849 www.assabsteels.com

Branch offices NANTOU BRANCH No. 10, Industry South 5th Road Nan Kang Industry Zone Nantou 540-66, Taiwan (R.O.C.) Telephone: +886 49 225 1702 TAINAN BRANCH No. 180, Yen He Street, Yong Kang City Tainan 710-82, Taiwan (R.O.C.) Telephone: +886 6 242 6838

Thailand

ASSAB Steels (Thailand) Ltd 9/8 Soi Theedinthai, Taeparak Road, Bangplee, Samutprakarn 10540, Thailand Telephone: +66 2 385 5937, +66 2 757 5017 www.assabsteels.com

United Arab Emirates

ASSAB INTERNATIONAL AB P.O. Box 17595 Jebel Ali AE-Dubai Telephone: +971 488 12165 www.assab.se

Vietnam

CAM Trading Steel Co Ltd 90/8 Block 5, Tan Thoi Nhat Ward District 12, Ho Chi Minh City Vietnam Telephone: +84 8 5920 920 www.assabsteels.com

Other Asia ASSAB INTERNATIONAL AB Box 42 E-171 11 Solna, Sweden Telephone: +46 8 564 616 70 www.assab.se

Africa

Egypt UNITED FOR IMPORT AND INDUSTRIAL SUPPLIES Montaser Project No 20 Flat No 14 Al Ahram Street-El Tabia EG-Giza Cairo Telephone: +20 2 7797751 www.assab.se

Kenya

SANDVIK Kenya Ltd P.O. Box 18264 Post code 00500 KE-Nairobi Telephone: +254 20 532 866 sandvik@africaonline.co.ke

South Africa

UDDEHOLM Africa (Pty.) Ltd. P.O. Box 539 ZA-1600 Isando/Johannesburg Telephone: +27 11 974 2781 www.bohler-uddeholm.co.za

Tunisia

MCM Distribution 4 Bis, Rue 8610 - Z.I. 2035 Chargula 1 TN-Tunis Telephone: + 216 71 802479 www.mcm.com.tn

Zimbabwe

Representative office: UDDEHOLM Africa (Pty.) Ltd. P.O. Box 539 ZA-1600 Isando/Johannesburg Telephone: +27 11 974 2781 www.assab.se

Other African Countries ASSAB INTERNATIONAL AB Box 42

SE-171 11 Solna, Sweden Telephone: +46 8 564 616 70 www.assab.se



Network of excellence

Uddeholm is present on every continent. This ensures you high-quality Swedish tool steel and local support wherever you are. Assab is our wholly-owned subsidiary and exclusive sales channel, representing Uddeholm in various parts of the world. Together we secure our position as the world's leading supplier of tooling materials.





Uddeholm is the world's leading supplier of tooling materials. This is a position we have reached by improving our customers' everyday business. Long tradition combined with research and product development equips Uddeholm to solve any tooling problem that may arise. It is a challenging process, but the goal is clear – to be your number one partner and tool steel provider.

Our presence on every continent guarantees you the same high quality wherever you are. Assab is our wholly-owned subsidiary and exclusive sales channel, representing Uddeholm in various parts of the world. Together we secure our position as the world's leading supplier of tooling materials. We act worldwide, so there is always an Uddeholm or Assab representative close at hand to give local advice and support. For us it is all a matter of trust – in long-term partnerships as well as in developing new products. Trust is something you earn, every day.

For more information, please visit www.uddeholm.com or www.assab.com

PROBLEMS AUTOMOTIVE



